







## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/843,808	04/30/2001	Eric Coupart	109420	9962
25944	7590 12/24/2002			
	ERRIDGE, PLC	EXAMINER		
P.O. BOX 19928 ALEXANDRIA, VA 22320			CUEVAS, PEDRO J	
			ART UNIT	PAPER NUMBER
			2834	
			DATE MAILED: 12/24/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

× 1*		Application No.	Applicant(s)			
Office Action Summary		09/843,808	COUPART ET AL.			
		Examiner	Art Unit			
		Pedro J. Cuevas	2834			
	The MAILING DATE of this communication app	pears on the cover sheet with	the correspondence address			
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).  Status						
1) 🖂	Responsive to communication(s) filed on 17 (	October 2002 .				
2a)⊠	This action is <b>FINAL</b> . 2b) Th	is action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
1	Claim(s) <u>1-42</u> is/are pending in the application					
4a) Of the above claim(s) is/are withdrawn from consideration.						
·	5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-8 and 13-42</u> is/are rejected.						
1 '	7) Claim(s) <u>9-12</u> is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.  Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.						
Attachmen	t(s)					
2) Notice	e of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s) <u>1</u>	5) Notice of Inf	nmary (PTO-413) Paper No(s)  ormal Patent Application (PTO-152)			
U.S. Patent and T	rademark Office					

Art Unit: 2834

### **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments with respect to claims 1-35 have been considered but are moot in view of the new ground(s) of rejection.

# Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-8, 13-15, 18-25, 30 and 32-42 are rejected under 35 U.S.C. 102(b) as being anticipated by JP 411004553 A to Abukawa et al.

Abukawa et al. clearly teaches the construction of a permanent magnet rotating machine with concentrated winding comprising:

a flux-concentrating rotor comprising permanent magnets disposed between pole pieces; and

a stator comprising teeth having a free end deprived of pole swellings and a concentrated winding, wherein:

the pole pieces and the magnets are configured so as to minimize the difference  $L_d$  -  $L_q$  where  $L_d$  is inductance on a forward axis and  $L_q$  is inductance on a quadrature axis;

the teeth are of non-constant width, increasing in width with increasing distance from the rotor starting from a determined distance from their free ends;

shaft of the rotor;

Art Unit: 2834

the magnets are wedge-shaped when observed along an axis of rotation of the rotor, of width that tapers going away from the axis of rotation of the rotor; pole pieces have cutouts and are engaged via said cutouts on splines on a

splines are formed integrally with a central portion of the shaft;
the pole pieces have radially inner edges and gaps are left between said
radially inner edges and the shaft;

each pole piece has, on a side facing towards the stator, a face that is noncircular around an axis of rotation of the rotor and convex towards the stator;

magnets have edges that are adjacent to the stator and the rotor has at least one at one axial end, a cheek-plate of non-magnetic material, with a periphery of the check-plate being set back from said edges;

the stator having  $n_{teeth}$  teeth, the rotor having  $n_{pairs}$  pairs of poles, and the current having  $n_{phases}$  phases, wherein the number of teeth  $n_{teeth}$  satisfies  $n_{teeth} = n_{pairs} * n_{phases}$ ;

the stator has individual coils each removably disposed one tooth;
the stator has at least one individual coil comprising a plurality of
superposed turns of a substantially flat bundle of insulated wires wound around a
winding axis, the cross-section of the bundle having a long dimension that
extends substantially perpendicularly to the winding axis;

the wires are of circular section;

Art Unit: 2834

an inside section of the coil perpendicular to the winding axis is substantially rectangular;

an inside section of the coil perpendicular to the winding axis is larger on one side than on the other, and the stator comprises a tooth presenting a complementary profile;

the wires are curved to form hooks at the electrical connection ends of the coil;

the coil has, perpendicular to the winding axis, an inside section longer than an axial dimension of the tooth on which the coil is engaged, and a detector suitable for delivering a signal representative of rotation of the rotor being engaged in a gap formed between an inside face of the coil and a face of the tooth;

the hooks are directed towards a midplane of the coil, perpendicular to the winding axis

the magnetic circuit of the stator comprises an assembly of sectors defining air-gaps intersecting the teeth at half width;

the sectors have co-operating portions in relief on docking sides; the magnetic circuit inserted by force into a cylindrical case; and constitutes a synchronous motor.

4. With regards to claim 6, it would have been obvious to one having ordinary skill in the art at the time the invention was made to form the splines integrally with a central portion of the shaft, since it has been held that forming in one piece an article, which has formerly been formed in two pieces and put together, involves only routine skill in the art. Howard v. Detroit Stove

Art Unit: 2834

Works, 150 U.S. 164 (1893). The term "integral" is sufficiently broad to embrace constructions united by such means as fastening and welding. <u>In re Hotte</u>, 177 USPQ 326, 328 (CCPA 1973).

5. With regards to claim 7, it would have been obvious to one having ordinary skill in the art at the time the invention was made to make the splines and the central portion of the shaft of a non-magnetic material, in particular of aluminum, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. <u>In re Leshin</u>, 125 USPQ 416.

## Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 16, 17, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 411004553 A to Abukawa et al. in view of common knowledge in the art.

Abukawa et al. discloses the claimed invention except for the rotating speed of the rotor and it's outside dimension in the radial direction.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to arrange the rotor to rotate in the range of 1,000 to 10,000 rpm and it's outside dimension in the radial direction lying in the range of 50 mm to 1 m, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

Art Unit: 2834

- 8. With regards to claim 20, it would have been obvious to one having ordinary skill in the art at the time the invention was made to select the wires having a diameter lying in the range 0.3 mm to 2.5 mm, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.
- 9. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over JP 411004553 A to Abukawa et al. in view of U.S. Patent No. 4,896,839 to Curtis, Jr. et al.

Abukawa et al. disclose the construction of a dynamoelectric machine as described above.

However, it fails to disclose a dynamoelectric machine wherein the connection ends are soldered to locally stripped portions of sheathed electric cables.

Curtis, Jr. et al. teach the use of an apparatus and method for winding a strip of material into an arcuate elongated passage by forming connection ends are soldered to locally stripped portions of sheathed electric cables, for the purpose of providing a toroidal electrical transformer with continuous windings and a continuous wound core.

It would have been obvious to one skilled in the art at the time the invention was made to use the wires and winding method disclosed by Curtis, Jr. et al. on the dynamoelectric machine disclosed by Yates for the purpose of providing a toroidal electrical dynamoelectric machine with continuous windings and a continuous wound core.

10. Claims 26-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 411004553 A to Abukawa et al. in view of U.S. Patent No. 4,688,951 to Guers.

Art Unit: 2834

Abukawa et al. disclose the construction of a dynamoelectric machine as described above.

However, it fails to disclose a dynamoelectric machine having:

at least one detector comprising a magnetic field sensor mounted on the stator in such a manner as to detect the magnetic field of the magnets of the rotor from a location that overlaps a peripheral region of the rotor when the machine is observed on the axis of rotation of the rotor;

for n-phase AC, the machine having n detectors mounted on consecutive teeth close to an opening in a case of the machine;

wherein the detector(s) is/are fixed to the magnetic circuit of the stator so as to extend along the radial axis of a tooth and the or each detector includes not only a magnetic field sensor, but also a temperature sensor.

Guers teach the construction of a roller bearing with contactless transmission of electric signals having magnetic field and temperature sensors for the purpose of providing contactless transmission of electric signals between the roller bearing and the electric circuits.

It would have been obvious to one skilled in the art at the time the invention was made to use the sensor arrangement disclosed by Guers on the dynamoelectric machine disclosed by Yates for the purpose of providing contactless transmission of electric signals between the different parts of the dynamoelectric machine.

## Allowable Subject Matter

11. Since allowable subject matter has been indicated, applicant is encouraged to submit formal drawings in response to this Office Action. The early submission of formal drawings will

Art Unit: 2834

permit the Office to review the drawings for acceptability and to resolve any informalities remaining therein before the application is passed to issue. This will avoid possible delays in the issue process.

- 12. Claims 9-12 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 13. The following is a statement of reasons for the indication of allowable subject matter: the prior art does not teaches the construction of a dynamoelectric machine according to claim 5, wherein the cross section of each spline presents a profile having opposite sides with inclined portions at an angle ii to a radius passing through the middle of the spline, said angle being selected in such a manner as to make it possible for said splines to be made out of a material having weaker shear strength than the material used for making the pole pieces.
- 14. Claims 10-12 are considered allowable by their dependence on claim 9.

#### Conclusion

- 15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.
- 16. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 2834

Page 9

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pedro J. Cuevas whose telephone number is (703) 308-4904. The examiner can normally be reached on M-F from 8:30 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor R. Ramírez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-1341 for regular communications and (703) 305-3432 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Pedro J. Cuevas December 17, 2002

NESTOR PAMIREZ SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800